









CFS revolutionizes Colors HICOLOR v2.0

The success of the first version motivated us to go a step further with the version 2.0 of Hicolor. By making it vitrified and with smooth matte finish enables it to be used on a wider scope of applications, especially for floors and walls.

This collection is inspired by the outside world which acts as the perfect trigger for beautiful colors. These colors are always changing providing a wide variety of palettes to play and experiment with.

This collection of versatile and enduring colors ranges from purples and reds, to warm neutrals, on to cool blues & greens and contemporary white and black. This range is a well versed combination of tertiary and quaternary colors depicting optimism, energy and sophistication.

Different colors provide different psychology to everyday life, varying from purity to neutrality, from timelessness to comfort and from harmony to tranquillity.

Fashion is all about changing trends and Ceramic Fashion Studio keeps amusing its customers with launching innovative products on a regular basis.

Ceramic Fashion Studio has worked to recreate those feelings into architectural and contemporary works. The result is a perfect blend of modern and dynamic mood, a collection that brings out the best in any ambience and location setting.


























10








12





12 COLORS 8 FORMATS 600mm x 200mm 600mm x 150mm 600mm x 150mm 150mm x 150mm 200mm x 200mm 300mm x 300mm




LAYOUT OPTIONS









INSTALLATION SUGGESTIONS

- CFS recommends 2mm space for flawless aesthetics.
- We suggest to use good quality epoxy grout.
- · We suggest to follow laying information provided with the packaging.

QUALITY STANDARDS

| | International Specifications ISO 13006/EN 176 Group & IS 15622 : 2006 | VALUE | METHOD OF TESTING | |
|--|--|-----------------------|-------------------|--|
| Deviation In Length | ±0.6% | ±0.2% | ISO 10545 - 2 | |
| Deviation In Thickness | ±5% | ±5% | ISO 10545 - 2 | |
| Straightness Of Sides | ±0.5% | ±0.2% | ISO 10545 - 2 | |
| Rectangularity | ±0.6% | ±0.3% | ISO 10545 - 2 | |
| →- **Surface Flatness | ±0.5% | ±0.3% | ISO 10545 - 2 | |
| ++ Surface Quality | A minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles | Compliant | ISO 10545 - 2 | |
| PHYSICAL & THERMAL PROPERTIES | | | | |
| Mater Absorption | <0.5% | >0.2% | ISO 10545 - 3 | |
| Mohs Hardness* | >6 | Compliant | EN 101 | |
| → Modulus of Rupture | 35 N/mm² | >46 N/mm² | ISO 10545 - 4 | |
| Abrasion Resistance** | <175 mm ³ | <144 mm ³ | ISO 10545 - 7 | |
| **Skid Resistance (Friction Coefficient) | >0.4 | >0.4 | ISO 10545 - 17 | |
| Breaking Strength | Min 1300 N | > 2000 N | ISO 10545 - 4 | |
| ⊕ Density (g/cc) | >2.0 | >2.4 | ISO 10545 - 3 | |
| * Frost Resistance | Required | Compliant | ISO 10545 - 9 | |
| Thermal Shock Resistance | 10 Cycles Min | Compliant | ISO 10545 - 9 | |
| → Thermal Expansion | <9 x 10 ⁶ | <6 x 10 ⁻⁶ | ISO 10545 - 8 | |
| Moisture Expansion | Nil | Nil | ISO 10545 - 10 | |
| CHEMICAL PROPERTIES | | | | |
| Chemical Resistance | No Damage | No Damage | ISO 10545 - 13 | |
| ★ Colour Resistance | No Damage | No Damage | DIN 51094 | |
| Stain Resistance | Resistant | Resistant | ISO 10545 - 14 | |

14 15



SIZE & PACKAGING DETAILS

| SIZE & PACKAGING DETAILS | | | | | | | | |
|-------------------------------------|---------------|---------------|---------|---------|---------|--------|--|--|
| TYPE | NOMINAL | ACTUAL | PCS/BOX | SQM/BOX | SFT/BOX | KG/BOX | | |
| STANDARD | 600mm x 600mm | 600mm x 600mm | 4 | 1.44 | 15.50 | 30 | | |
| | | | | | | | | |
| FORMATS | 600mm x 200mm | 600mm x 198mm | 8 | 0.96 | 10.33 | 20 | | |
| | 600mm x 150mm | 600mm x 148mm | 10 | 0.90 | 9.69 | 19 | | |
| | 600mm x 100mm | 600mm x 98mm | 16 | 0.96 | 10.33 | 20 | | |
| | 200mm x 200mm | 198mm x 198mm | 24 | 0.96 | 10.33 | 20 | | |
| | 150mm x 150mm | 148mm x 148mm | 40 | 0.90 | 9.69 | 19 | | |
| | 100mm x 100mm | 98mm x 98mm | 90 | 0.90 | 9.69 | 19 | | |
| formats are available upon request. | | | | | | | | |
| MOZAIC | 300mm x 300mm | 300mm x 300mm | 11 | 0.99 | 10.66 | 21 | | |

DISCLAIMER: Ceramic Fashion Studio reserves the rights to delete & amend either totally or partially, any of the colors, shapes, sizes, references and other techincal specifications or aesthetic appearance of product/s contained in this catalouge at any time without any prior notice. The colors shown of products in this catalouge are purely illustrative and limited to printing process. Please refer actual product before final selection. The detail of sizes and color references should be verified for typographical errors.

SHREE AMBICA DECOPRINTS PVT. LTD. 766, 772-Rakanpur, Sola Santej Road, Ta. Kalol-382 721. (North Gujarat). India. Email: info@ceramicfashionstudio.com | Ph: +91 2764 286961-2-3