

CREANZA IMAGINATION IS EVERYTHING

ALL YOUR DISCOVERY ARE XXL. **ROAM** WANDER EXPLORE SEEK DISCOVER INSPIRE CREATE These slabs will transport you to distant lands. They will let free the wanderer's spirit in you. So let your imagination soar as you soak in these breathtaking vistas. They will enable you to create your own version and vision of reality.

about us

In an industry where a few strive to offer innovation, while others focus on the variety, Creanza has adopted a holistic strategy of encompassing all the attributes of the product. Creanza epitomizes consumer-first approach with an enduring combination of innovation, unique variety and

quality. Since its inception in 2011, Creanza tiles, based at Morbi in Gujarat, is one of the pioneer and dominant manufacturers - exporters of premium glazed vitrified tiles.

CE | ISO 14001:2015 ISO 9001:2015

Creanza has state-of-the-art manufacturing facility with latest technology machinery imported from italy, spain and china. At Creanza, we believe in providing superior quality and service, further strengthening our relationship with consumers.

In lieu with an increasing demand of vitrified tiles, we have an installed capacity of 15000 sq.m./day of GVT and PGVT tiles spread across a humongous 14 acres land. We have collaborated with the largest Italian conglomerate, Sacmi for its press technology and installed Creta digital printing machine which helps us yield innovative tiles with stunning designs and excellent quality. We constantly emphasize on new product development in order to cater to the dynamic and unique taste of our consumers.







SUPER SIZEGRAND FORMAT

Big in size, big in performance, With Lastra all the advantages are XXL.

Don't let yourself be restrained by size. Go as far as your imagination leads you.


800x1600mm

















REGAL MICHEALANGELO A


REGAL MICHEALANGELO B













REGAL MICHEALANGELO AB
















REGAL MAXIMUS STATUARIO





10 / 11

REGAL ASPEN STATUARIO
























REGAL STATUARIO CLASSIC MIRROR A

BOOK MATCH CONCEPT












REGAL CLOUDY WHITE









































REGAL ONIX





































REGAL BURBERRY GREY





REGAL CREMA MARFIL
































REGAL ATLANTIS GOLD









RESIDENTIAL, COMMERCIAL, WELL NESS, HOSPITALITY




































RESIDENTIAL, COMMERCIAL, WELL NESS, HOSPITALITY













REGAL ARMANI BEIGE















RESIDENTIAL, COMMERCIAL, WELL NESS, HOSPITALITY






REGAL DAINO BEIGE




















REGAL FLORENTINE BEIGE














REGAL FLORENTINE BROWN












REGAL FLORENTINE DARK GREY





































REGAL DYNO FANTASTICO











REGAL TRAVERTINO GREY






REGAL BRECCIA AURORA MIRROR AB



800x1600mm / 31.5"x63" **HIGH GLOSS**











REGAL BRECCIA AURORA MIRROR A

REGAL BRECCIA AURORA MIRROR B





































RESIDENTIAL, COMMERCIAL, WELL NESS, HOSPITALITY





















RESIDENTIAL, COMMERCIAL, WELL NESS, HOSPITALITY



















REGAL CALIFORNIA ALMOND












800x1600mm / 31.5"x63" **HIGH GLOSS DARK**












REGAL CAFFE MOKA



REGAL ESTRADA





















REGAL ARMANI BROWN














































AVERTINO SNOW REGAL DA VINCE TRAVERTINO FOREST




































REGAL ARTISTIC BROWN











REGAL ARTISTIC GREY





800x1600mm / 31.5"x63" **CARVING**







REGAL BOTTICHINO BEIGE
















REGAL PINSTRIPS BIANCO





REGAL PINSTRIPS BIANCO DECOR











REGAL CANVAS CREMA























REGAL CANVAS NERO
























REGAL ARMANI LIGHT GREY














RESIDENTIAL, COMMERCIAL, WELL NESS, HOSPITALITY





























REGAL ZUCCINI COFFEE








REGAL TRAVERTINO BEIGE
































RESIDENTIAL, COMMERCIAL, WELL NESS, HOSPITALITY


64 / 65






























REGAL CEMENTUM COFFEE























800x1600mm / 31.5"x63" **MATEX**









REGAL MATEX SAND

REGAL MATEX GREY
















800x1600mm / 31.5"x63" METALLIC













RESIDENTIAL, COMMERCIAL, WELL NESS, HOSPITALITY



REGAL CLOUDY METAL ORANGE

















CREANZA

Instructions

Handling

For handling the slabs, as well as for cutting and laying, CREANZA recommends the use of a kit of devices designed especially for large sizes. To increase rigidity and limit twisting, use a system composed of parallel and transverse guides





Parallel And Transverse Guides

Reinforced Trolley for slab tile

Cutting & Drilling

1. Side Cutting Process





3. Refining Smooth Rough Edges With A Diamond Polishing Pad

A Diamond Polishing Pad

2. Cutting of Tile

2. Centre Cutting Process







2. Cut with Diamond Blade Angle Grinder

3. Centre Drilling Process

1. Non Percussion Drill



1. Round Cut with Diamond Blade Drill

Laying & Levelling





1. Cement laying on Floor

2. Cement laying on Tile





3. Spacers + Leveller

4. Levelling Wedges





5. After Levelling Process leave it for 8-10 hrs.

6. Remove Wedges ones it Dry

Floor Installation

- 1. First spread the cement mixer onto the floor substrate
- 2. At the same time, Apply the cement mixer onto the back of the slab with a tile trowel.
- 3. The recommended cement mixer is must be spread over in one direction only.
- 4. Using a trowel and following the same direction as previously applied to the back of the slab
- 5. Being careful to maintain a minimum joint of 3mm.
- 6. Tap the slab with a rubber trowel for a complete fixing, ensuring the air is expelled. It is recommended to start from the centre of the slabs and then move towards the edges.
- 7. Complete the laying operations using a suitable sealant, while keeping at least a 3mm joint through the use of spacers
- 8. To make this task easier, use the special device for pulling over the slabs, available on the market
- 9. Levelling wedges at each linear metre of the slabs are recommended
- 10. After Levelling Process leave it for 8-10 hours Remove Wedges ones it Dry

Cleaning And Maintenance

Lastra products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia
Ink	Oxidant - Solvent	Alcohol
Rust	Acid	Hydraulic Acid
Lime	Acid	Descaling Products
Cement	Acid	Hydraulic Acid
Wine	Alkaline	Ammonia Or Bleach
Coffee	Alkaline - Solvent	Ammonia Or Bleach
Rubber	Solvent	Alcohol
Plaster	Acid	Hydraulic Acid
Candle Wax	Solvent	Alcohol
Blood	Oxidant	Bleach
Ice Cream	Alkaline	Detergent
Resin	Solvent	Alcohol
Fruit Juice	Oxidant	Bleach

Disclaimer: The aim of this manual is to offer helpful suggestions about handling and maintaining Lastra slabs. Due to nature of sintered ceramic material, it is highly advisable to consult an expert for these purposes. CREANZA cannot be held responsible for any damage resulting from using the information and suggestions contained in this technical manual.



Technical Specification of GVT

CHARACTERISTIC	International Standards Group B1a- ISO 13006 Annx. G.	MEAN VALUE OF CREANZA	TEST METHOD ISO-10545-2	
Deviation In Length	± 0.60%	± 0.10%		
Deviation In Thickness	± 5.00%	± 4.00%	ISO-10545-2	
Straightness Of Sides	± 0.50% ± 0.10%		ISO-10545-2	
Rectangularity	± 0.60% ± 0.10%		ISO-10545-2	
Surface Flatness	± 0.50%	± 0.15%	ISO-10545-2	
Surface Quality (%)	A minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tile	95% Free from Visible Defects		
Scratch Hardness of Surface (Moh's scale)	Min. 6	Min. 6	ISO-10545-2	
Modulus of Rupture	> 35N/mm3	> 40N/mm²	ISO-10545-4	
Breaking Strength	> 1300 N	> 1500 N	ISO-10545-4	
Water Absorption	< 0.50%	< 0.50% < 0.08%		
Stain Resistance	Stain Resistant	Stain Resistant	ISO-10545-14	
Chemical Resistance	No Damage	No Damage	ISO-10545-13	
Thermal Expansion	< 9 x 10-6	< 7 x 10-6	ISO-10545-8	
Moisture Expansion	Nil Nil		ISO-10545-10	
Thermal Shock Resistance	No Damage	No Damage	ISO-10545-9	
Resistance to Surface Abrasion	Manufacturer to State Abrasion Class	PEI class 3-5	ISO-10545-7	
Bulk Density	> 2.00	> 2.20	ISO-10545-3	

Packing Detail

Products	Size	Pcs. / Box	Area / Box	Wt./Box
LASTRA	800x1600mm	2 pcs.	2.56 sq. mtr.	55 kg.

Note: Colour Shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.





COMMANDER VITRIFIED PVT. LTD.

8-A N/H, At. Sartanpar, Ta. Wankaner - 363 621, Dist. Morbi, Gujarat, INDIA

DELHI OFFICE:

A-131, Ground Floor, Sector-63, Noida - 201 301, Delhi, INDIA

Cell: +91 95123 90035 Tele:: +91 120 4273335

MUMBAI OFFICE:

1/12 Turakhia Park, M.G. Road, Opp. Swimming Pool, Near Coporation Bank, Kandivali West, Mumbai - 400 067.

Cell: +91 95123 90029

