

OURIDEOLOGY





In an industry where some sellers focus on innovation, the other few choose to concentrate on variety, Creanza has adopted a holistic strategy of encompassing all the attributes of the product. Creanza epitomizes consumer-first approach with an enduring combination of innovation, unique variety and quality.

Since its inception in 2011, Creanza tiles, based at Morbi in Gujarat, is one of the pioneer and dominant manufacturers cum exporters of premium glazed vitrified tiles.

Creanza has state-of-the-art manufacturing facility with latest technology machinery imported from Italy, Spain and China. At Creanza, we believe in providing superior quality and services, further strengthening our relationship with consumers.

In tandem with an increasing demand of vitrified tiles, we have an installed capacity of 30,000 sq.m./day of GVT, PGVT and Double Charge tiles spread across a humongous 25 acres land. We have collaborated with the largest Italian conglomerate, Sacmi for its press technology and installed System digital printing machine, which helps us yield innovative tiles with stunning designs and excellent quality. We constantly emphasize on new product development catering the dynamic and unique taste of our consumers.

COMPANYSTRENGTH

10m

Sq. mtrs. production capacity per year

25

Acres of land

300+

Passionate employees

20

Years of experience in ceramic industry

30+

Export countries

300+
Dealers

in INDIA

At CREANZA we blend the years of experience with spontaneity & creativity to bring out the best in Industry. Through constant experimentation, enthusiasm, passion and diversity of a zealous group of people, we have managed to establish a space where technology and inspiration combine fantastically.

C€ ISO 14001:2015 ISO 9001:2015 ISO 45001:2018





FULL BODY VITRIFIED TILES

The EVOQ collection is inspired by the desire to reproduce the expressive power and Richness of nature to modern homes and public spaces.

Their colours and structures coordinate with one another spontaneously and are therefore always in harmony.

With its hint of rustic charm, it brings atmospheric accents of warmth to indoor and outdoor areas.

FINISH + EFFECT + PUNCH



Sugar Finish

Lapato Finish


Rustic Punch

Glossy Effect

Slate Punch

Metal Effect

Slate Lining Punch



EXPRESSION OF SOLIDITY & CONCRETENESS

EVOQ collection introducing natural effects like, glossy, matt, satin, rustic & metal finishes. Means more effects, more variation & style you are seeking.



600x1200mm



PERSEO

COLOURBODY Matt Finish with Glossy Effect



PALATINO

COLOURBODY Matt Finish with Glossy Effect



MILANO

COLOURBODY Matt Finish Available in 600x600mm Also



INTENSE

COLOURBODY Matt Finish with Rustic Punch



PIZARRA

COLOURBODY Matt Finish with Glossy Effect & Rustic Punch



STONEKRAFT

FULLBODY Lappato Finish with Slate Lining Punch



STONEX

FULLBODY Lappato Finish with Slate Punch & Matt Finish with Slate Punch



FINESTONE

FULLBODY Matt Finish Available in 600x600mm Also



TERAZZO

FULLBODY Matt Finish



SUCRE

FULLBODY Fullbody Sugar Finish

600x600mm



PIETRA

COLOURBODY Matt Finish with Glossy Effect & Rustic Punch



EMBROSIA

COLOURBODY Matt Finish with Metal Effect & Rustic Punch



ELEMENTO

FULLBODY Glossy Finish, Matt Finish, Rustic Punch



EARTHSTONE

FULLBODY Matt Finish with Rustic Punch 16mm



PERSEO

• < 0.08% Water Absorption

×

Eco Friendly



ROYAL PERSEO BIANCO













600 X 1200

Matt Finish with Glossy Effect







ROYAL PERSEO CREMA




ROYAL PERSEO BRUNO



ROYAL PERSEO CHOCO

/ 09









Matt Finish with Glossy Effect

The contemporary look and panache of the Palatino tile is a perfect matt surface with a sleek and smooth impact. The dark shades with undertones of simple formations creates a picturesque ambience for living spaces. Decorate your world with aesthetic design driven tile pieces.

10 / / 11

PALATINO

18


• < 0.08% Water Absorption

×











EVOQ-COLORBODY VITRIFIED TILES

Matt Finish with Glossy Effect

②

600 X 1200











MILANO

• < 0.08% Water Absorption

×

Eco Friendly















ROYAL MILANO BIANCO

ROYAL MILANO GRIS





EVOC-COLORBODY VITRIFIED TILES

Matt Finish







ROYAL MILANO GRIGIO









Matt Finish with Rustic Punch







ROYAL INTENSE GRIGIO
















ROYAL INTENSE BRUNO



ROYAL INTENSE BIANCO









Matt Finish with Glossy Effect & Rustic Punch







ROYAL PIZARRA GRIGIO





18



600 x 1200





ROYAL PIZARRA CHOCO



ROYAL PIZARRA GRIS

STONEKRAFT







Lappato Finish with Slate Lining Punch



ROYAL STONEKRAFT BIANCO



ROYAL STONEKRAFT GRIS



18














ROYAL STONEKRAFT NERO
















The stony effect characterised by beauty and elegance is the unique quality of Stonex.


The hues of greys and black with a clean and embellished slate look. Expressions for beautiful settings. Mould the extensive areas into creative and visually stunning stretches.

/ 23













600 X 1200











ROYAL STONEX COFFEE

ROYAL STONEX MARRON

STONEX

18

• < 0.08% Water Absorption

×

Eco Friendly

















ROYAL STONEX MARRON

ROYAL STONEX BIANCO

ROYAL STONEX GRIS





EVOQ-FULLBODY VITRIFIED TILES

Matt Finish with Slate Punch











Matt Finish

Grainy appearance blended with a matt finish texture are the elements of Finestone tiles showcasing the classic and imaginative creations. Shades of exquisiteness illuminating the dream ideas of the modernday décor. Define your inspirations.



•


×

8


Eco Friendly







ROYAL FINESTONE OLIVO



ROYAL FINESTONE GRIS ROYAL FINESTONE ANTRACITA




Matt Finish



ROYAL FINESTONE CREMA



ROYAL FINESTONE BRONZE



600 X 600 mm

ROYAL FINESTONE MARRON

0 / 31











Matt Finish

The Terazzo tile is like shinning stars in the dark black sky.

The masterpiece has been fabricated with lots of variant style makings. Build original layouts with a natural vibe and structures that are pure works of art. Shape the abstract notions into attractive concepts.

 $^{\prime}$





600 x 1200 mm

ROYAL TERAZZO BIANCO








ROYAL TERAZZO ANTRACITA









ROYAL TERAZZO SAHARA

ROYAL TERAZZO MARRON



•

×









Fullbody Sugar Finish



ROYAL SUCRE WHITE



ROYAL SUCRE GREY






















ROYAL SUCRE BLACK











Matt Finish with Glossy Effect & Rustic Punch



PRIME PIETRA BIANCO



PRIME PIETRA COFFEE















×



PRIME PIETRA GRIS



PRIME PIETRA MARRON





PRIME PIETRA NERO



PRIME PIETRA GRIGIO

EMBROSIA







Matt Finish with Metal Effect & Rustic Punch



PRIME EMBROSIA BIANCO



PRIME EMBROSIA BEIGE



















×



PRIME EMBROSIA GRIS



PRIME EMBROSIA CHOCO





PRIME EMBROSIA GRIGIO


ELEMENTO



PRIME ELEMENTO MOCA







PRIME ELEMENTO GRIS













Chemical Resistant



PRIME ELEMENTO GRAPHITE






PRIME ELEMENTO BLACK







PRIME ELEMENTO MOCA





Matt Finish



PRIME ELEMENTO GRIS

PRIME ELEMENTO KOTA
























Chemical Resistant









PRIME ELEMENTO GRAPHITE





PRIME ELEMENTO BLACK









PRIME ELEMENTO MOCA





Rustic Punch



PRIME ELEMENTO GRIS



PRIME ELEMENTO KOTA























PRIME ELEMENTO SUPER WHITE



PRIME ELEMENTO GRAPHITE





PRIME ELEMENTO BLACK

EARTHSTONE







Matt Finish with Rustic Punch







PRIME EARTHSTONE CREMA

PRIME EARTHSTONE BEIGE
























600 / X 600 mm

PRIME EARTHSTONE LIGHT GREY

PRIME EARTHSTONE DARK GREY

TECHNICAL DETAILS

Characteristic	International Standards Group B1a - ISO 13006 Annx. G.	Mean value of CREANZA	Test Method
Deviation In Length	± 0.60%	± 0.10%	ISO-10545-2
Deviation In Thickness	± 5.00%	± 4.00%	ISO-10545-2
Straightness Of Sides	± 0.50%	± 0.10%	ISO-10545-2
Rectangularity	± 0.60%	± 0.10%	ISO-10545-2
Surface Flatness	± 0.50%	± 0.15%	ISO-10545-2
Surface Quality (%)	A minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tile	95% Free from Visible Defects	ISO-10545-2
Scratch Hardness of Surface (Moh's scale)	Min. 6	Min. 6	ISO-10545-2
Modulus of Rupture	> 35N/mm3	> 40N/mm²	ISO-10545-4
Breaking Strength	> 1300 N	> 1500 N	ISO-10545-4
Water Absorption	< 0.50%	< 0.08%	ISO-10545-3
Stain Resistance	Stain Resistant	Stain Resistant	ISO-10545-14
Chemical Resistance	No Damage	No Damage	ISO-10545-13
Thermal Expansion	< 9 x 10-6	< 7 x 10-6	ISO-10545-8
Moisture Expansion	Nil	Nil	ISO-10545-10
Thermal Shock Resistance	No Damage	No Damage	ISO-10545-9
Resistance to Surface Abrasion	Manufacturer to State Abrasion Class	PEI class 3-5	ISO-10545-7
Bulk Density	> 2.00	> 2.20	ISO-10545-3

PACKING DETAILS

Size	No.of tiles per box	Coverage area
600x1200mm	2 pcs.	1.44 sq. mtr.
600x600mm	4 pcs.	1.44 sq. mtr.
600x600mm (16 mm)	2 pcs.	0.72 sq. mtr.

Note: Colour Shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.

/ NOTE





COMMANDER VITRIFIED PVT. LTD.

8-A N.H., At. Sartanpar, Ta. Wankaner - 363 621, Dist. Morbi, Gujarat, INDIA

DELHI DISPLAY CENTRE:

A-131, Ground Floor, Sector-63, Noida - 201 301, Delhi, INDIA Cell : +91 95123 90035 Tele.: +91 120 4273335

KOLKATA DISPLAY CENTRE:

109/1, Beliaghata Main Road, Opp. IDBG Hospital Main Gate, Kolkata - 700 010, West Bengal, INDIA

Cell: +91 95123 20048

BANGALORE DISPLAY CENTRE:

2nd Floor, Chhabria Square, 126, KH Road, Bangalore - 560 027, Karnataka, INDIA

Cell: +91 95123 90034

MUMBAI DISPLAY CENTRE:

1/12 Turakhia Park, M.G. Road, Opp. Swimming Pool, Near Coporation Bank, Kandivali West, Mumbai - 400 067, Maharashtra, INDIA

Cell: +91 95123 90030

info@creanza.in +91 95123 90022 / 23 / 24

CREANZA.IN

For Sales Enquiry:

WEST ZONE

MH / G0A +91 95123 90030 GUJARAT +91 97371 52052 MP +91 95123 20030 RAJASTHAN +91 95123 20034

SOUTH ZONE

KARNATAKA / TN +91 95123 90034 KERALA +91 95123 20057 TELANGANA / AP +91 95123 20042

NORTH ZONE DELHI / HARYANA /

PUNJAB / HP / J&K +91 95123 90035 UP / UK +91 95123 20035

EAST ZONE

C.G / BIHAR / W.B +91 95123 20048 JHARKHAND / ORISSA +91 95123 20051 NORTH EAST +91 95123 20054

EXPORT +91 99251 41768